## Discrete Structuren) Tentamen, 24 April 2007

The problems are to be solved within 3 hrs.

The use of supporting material (books, notes, calculators) is not allowed.

In each problem you can obtain 10 points, i.e. 100 in total. Your partial result for the first 5 problems may be replaced by your grade in the midterm exam ( $\times$ 5), provided the grade was  $\geq$  5.5.

## Some useful hints:

- Give precise arguments for all your answers.
- You can write in English or Dutch, but in any case use a readable font!
- Counterexamples prove that a statement is not true, but positive examples do not prove general validity.
- If you refer to the hand-out sheet, numbers of implications etc. are sufficient.
- 1. Prove that the following proposition

$$((p \to q) \to q) \leftrightarrow (p \lor q)$$

is a tautology. Use the form of an annotated linear proof (geannoteerd lineair bewijs).

- 2. Prove (by cases) that  $|x+y| \le |x| + |y|$  for  $x, y \in \mathbb{R}$ .
- 3. Prove by (infinite) mathematical induction:  $\sum_{i=0}^{n} (2i+1) = (n+1)^2$  for  $n \in \mathbb{N}$ .
- 4. Give an explicit expression for the sequence  $s_n$ , defined by

$$s_0 = -1$$
  
 $s_1 = 4$   
 $s_n = 4s_{n-1} - 4s_{n-2}$  for  $n \ge 2$ 

5.

- (a) Let s(n)  $(n \in \mathbb{N})$  be a sequence. Define the meaning of s(n) = O(n) and of  $s(n) = \Theta(n)$ .
- (b) Are the following statemens true or false? (Give precise arguments!)

$$2^{2n} = O(2^n) \qquad 2^{n+1} = \Theta(2^n)$$

**6.** Let the relation R on  $\mathbb{Z}$  be defined as:

$$R = \{(x, y) \in \mathbb{Z} \times \mathbb{Z} \mid (x^2 - 2xy + y^2) \text{ is even} \}.$$

Show explicitly that R satisfies the properties of an equivalence relation. What are the equivalence classes of R?

7.

(a) Show that the proposition

$$[\exists x p(x)] \land [\exists x q(x)] \rightarrow \exists x [p(x) \land q(x)]$$

is <u>not</u> a tautology. You can do this by giving examples for p(x) and q(x) for which the proposition is false.

(b) Show that the proposition

$$\exists x \, \forall y \, p(x,y) \rightarrow \forall x \, \exists y \, p(x,y)$$

is <u>not</u> a tautology. Again it is sufficient to show that the proposition is false for a particular p(x,y).

8. Let A be the Boolean matrix

$$\mathbf{A} = \begin{bmatrix} 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 1 \\ 1 & 1 & 0 & 1 \\ 0 & 0 & 0 & 1 \end{bmatrix}.$$

- (a) Calculate A \* A.
- (b) Is the relation corresponding to A transitive? Explain your answer!
- (c) Which matrices represent the symmetric closure, the reflective closure, and the transitive closure of the relation corresponding to A?
- 9. After having graduated you have been hired by a manufacturer of computer hardware. Your first task is to specify a scheme for the serial number of a new product. You decide on using alphanumerical characters, i.e. the 26 capital letters and the 10 digits.

Your company does not expect to manufacture more than 100000000 (i.e.  $10^9$ ) of these devices. Out of how many alphanumerical characters should the serial number consist, such that there will be a unique serial number for each manufactured device and the serial number of each device is as short as possible?

You should not give the result as a number; it is sufficient to provide an analytic expression, e.g. exp[12] instead of 162754.7914....

10.

- (a) How many edges are there in a complete graph with n = 10 vertices?
- (b) How many edges are there in a binary rooted tree with n = 43 vertices?
- (c) How many edges are there in a ternary rooted tree with n = 43 vertices?